

Table 9.10  
Hodgkin Lymphoma  
SEER<sup>a</sup> Relative Survival (Percent)  
By Year of Diagnosis

All Races, Males

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Survival Time																					
1-year	85.9	89.4	89.8	91.1	92.2	92.7	92.1	94.3	89.3	90.8	92.8	90.8	93.0	89.7	93.3	91.7	92.4	93.0	92.5	90.2	92.6
2-year	80.2	83.5	84.6	85.8	88.0	88.6	89.5	90.9	86.1	88.4	89.0	88.2	92.2	88.4	90.7	89.3	91.6	91.2	89.2	89.4	
3-year	75.3	80.2	81.3	83.0	85.1	87.1	87.4	88.8	83.6	85.4	86.5	86.7	90.2	86.4	90.0	88.9	89.4	90.3	87.4		
4-year	71.7	77.2	78.3	80.8	81.0	85.0	86.9	86.4	82.8	83.7	85.0	84.8	86.8	85.8	88.7	87.7	87.6	88.9			
5-year	69.2	74.1	76.4	79.0	80.2	83.0	85.8	84.4	82.5	81.8	83.6	83.7	86.1	85.8	87.5	87.4	86.9				
6-year	66.5	71.4	74.6	77.2	78.8	81.8	83.5	83.5	80.5	80.6	82.0	83.0	86.1	83.8	86.8	86.1					
7-year	64.4	69.6	71.8	76.0	77.6	79.6	82.9	82.2	78.7	79.9	81.7	81.1	85.1	83.6	85.9						
8-year	62.4	68.1	70.4	74.8	76.5	78.6	82.2	81.7	77.5	78.7	81.3	79.9	84.2	82.7							
9-year	60.0	66.9	69.2	73.8	75.3	77.5	82.2	80.2	76.1	78.5	79.5	79.0	82.7								
10-year	58.9	65.6	68.6	73.2	75.3	75.2	81.0	78.2	75.1	78.1	78.0	78.4									
11-year	57.5	64.6	67.1	72.5	74.3	73.8	80.7	77.6	75.1	77.5	77.1										
12-year	56.4	63.2	66.0	71.9	74.2	72.5	80.3	77.1	74.1	76.9											
13-year	55.7	62.6	64.3	70.9	74.2	71.9	78.5	76.9	71.5												
14-year	54.3	61.2	63.3	70.7	74.2	70.5	76.8	75.9													
15-year	53.1	60.5	62.0	69.9	74.2	69.9	75.7														
16-year	52.4	59.4	61.1	69.5	74.2	69.9															
17-year	51.1	58.0	60.7	68.8	74.2																
18-year	50.1	57.0	59.9	68.0																	
19-year	49.5	56.5	59.4																		
20-year	48.5	55.2	58.5																		

<sup>a</sup>

Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).